NewLook International, Inc. TiqueWash™



Material Safety Data Sheet

Section 1 PRODUCT & COMPANY IDENTIFICATION

| Product Name: | TiqueWash™ |
|-------------------------|---|
| Manufactuer's Name: | NewLook International, Inc. |
| Manufacturer's Address: | 1525 S Gladiola Street, Suite 8, Salt Lake City, UT 84104 |
| Information Phone: | NewLook International, Inc. 877.763.9566 or 801.886.9495 |
| Emergency Contact: | For Emergency information, contact Chemtel, Inc. at 800.255.3924, Outside the USA at 813.248.0585 |

Section 2

COMPOSITION & INFORMATION ON INGREDIENTSHazard Rating (NFPA/HMIS):

Rating Scale:

| CHEMICAL NAME | CAS Number | ACGIH TLV | OSHA PEL | STEL | |
|--------------------------|------------|-----------|-----------|------|--|
| Silica Cystalline Quartz | 14808-60-7 | 0.1 mg/m3 | 0.1 mg/m3 | N/A | |
| Portland Cement | 65997-15-1 | 5 mg/m3 | 10 mg/m3 | N/A | |
| Iron Oxide | 1309-37-1 | None Est. | None Est. | N/A | |

| Health = 2 | 0 = Minimal |
|----------------------|-------------------|
| | • • • • • • • • • |
| Flammability = 0 | 1 = Slight |
| Reactivity = 0 | 2 = Moderate |
| Special = H (Health) | 3 = Serious |
| | 4 = Severe |

Section 3 HAZARDS IDENTIFICATION

Colored, sandy powder. Overexposure to dust can cause chronic lung injury. Acute silicosis may develop in a short time with heavy exposure. Silicosis can be progressive and may cause death.

OSHA Flammability Classification: N/A

Signs and Symptoms of Exposure:

- Inhalation: Nasal and respiratory irritation, dizziness, drowsiness, weakness, fatigue, confusion, nausea, headache, vertigo, possible unconsciousness, even asphyxiation.
- Ingestion: Amounts ingested incidental to consumer and industrial handling are not likely to cause injury; however, ingestion of large amounts could cause serious injury.
- Eyes: May cause irritation.
- Skin: Brief contact may cause slight irritation with itching and local redness. Prolonged contact may cause more severe irritation, with discomfort or pain, local redness and swelling, and possible tissue destruction.

Medical Conditions Generally Aggravated by Exposure: This product is not expected to aggravate existing medical conditions; however, ingredients contained in this product have been reported to aggravate preexisting eye, skin, respiratory disorders, lung disorders and kidney disorders. Supplemental Health Information: This product contains crystalline silica, which is considered a hazard by inhalation. The IARC has determined that there is sufficient evidence for the carcinogenicity of crystalline silica to experimental animals, and limited evidence for the carcinogenicity of crystalline silica to humans. Crystalline silica is also a known cause of silicosis, a noncancerous lung disease. Potential Environmental Hazard: N/A.

Section 4

FIRST AID MEASURES

Inhalation: Move to fresh air. Give artificial respiration if not breathing. If breathing is difficult, qualified personnel may give oxygen. Get medical attention. Ingestion: If swallowed, obtain medical treatment immediately.

Eyes: Immediately flush eyes with large amount of water for at least 15 minutes, occasionally lifting upper and lower lids. Get medical attention immediately. Contact lenses should not be worn when working with this material.

©2013 NewLook International, Inc. • All Rights Reserved

www.getNewLook.com = 1525 South Gladiola Street, Suite 8, Salt Lake City, UT 84104 = 877.763.9566 = Office: 801.886.9495 = Fax:

Skin: Wash exposed areas with water, then soap and water. Remove and clean contaminated clothing. If irritation persists or develops, get medical attention.

Section 5

| FIRE & EXPLOSION HAZARD DATA | |
|-----------------------------------|---------------------------|
| Flash Point (Method Used): | N/A |
| Autoignition Temperature: | N/A |
| Lower Explosive Limit: | N/A |
| Upper Explosive Limit: | N/A |
| Special Fire Fighting Procedures: | Product is not flammable. |

Section 6

ACCIDENTAL RELEASE MEASURES Material Released or Spilled: Waste Disposal:

Small spills can be flushed with large amounts of water; larger spills should be collected for disposal. Dispose of in accordance with applicable local, county, state, and federal regulations. Avoid discharge into natural waters.

Section 7

HANDLING & STORAGE MEASURES

Store in a cool, dry place with adequate ventilation. Keep containers closed.

Section 8

EXPOSURE CONTROL & PERSONAL PROTECTION

- Personal Protective Equipment:
 - Eye wash, safety shower.
 - Wear safety goggles to protect eyes.
 - ^a Aprons and impervious, chemical-resistant gloves should be worn to minimize contact with skin.
 - Where respiratory protection is required, use only NIOSH/MSHA approved respirators in accordance with OSHA Standard 29 CFR1910.134.
 - Provide dilute ventilation or local exhaust to prevent build-up of vapors.

Other Precautions:

Use only with adequate ventilation. Do not take internally. Keep out of reach of children. Avoid contact with skin and eyes, and breathing of vapors. Keep containers closed and upright when not in use. Avoid conditions, which result in formation of inhalable particles such as spraying or sanding painted surfaces. If such conditions cannot be avoided, use respiratory protection as directed under Special Protection Information.

Work/Hygenic Practices:

Wash hands thoroughly after handling, especially before eating or smoking. Smoke in "Smoking Area" only.

Section 9

| Powder |
|----------------------|
| N/A |
| Negligible |
| N/A |
| N/A |
| Various colors / N/A |
| N/A |
| N/A |
| Approximately 3 |
| N/A |
| |

Stability:SHazardous Polymerization:WConditions to Avoid:MMaterials to Avoid:CHazardous Decomposition Products:M

Stable. Will not occur. None. Oxidizing materials, acids and moisture. N/A

Section 11 TOXICOLOGICAL INFORMATION N/A

Section 12 ECOLOGICAL INFORMATION N/A

Section 13 DISPOSAL CONSIDERATIONS

Use non-leaking containers, seal tightly and label properly. Dispose of in accordance with applicable local, country, state and federal guidelines. Do not dispose in streams, wells, lakes, rivers, oceans or sewers.

Section 14 TRANSPORT INFORMATION DOT Proper Shipping Name: DOT Hazard Class ID Number:

Dry cement color Non-hazardous. Not required, Class 55.

Section 13 REGULATORY INFORMATION

 Reportable Quantitiy: N/A

 NFPA Rating
 0=insignificant; 1= sligh; 2=moderate; 3=high; 4=extreme

 Health: 2

 Flammibility: 0

 Reactivity: 0

Carcinogenicity Lists: Yes NTP: No IARC Monograph: Yes OSHA Regulated: Yes

State Warning: This product may contain a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. Many States have adopted Federal guidelines and restrictions for hazardous chemicals. A complete list is available at www.epa.gov. Some states have expanded the Federal Lista and you should check with your local regulatory agency for any additional restrictions on the hzardous chemicals listed in this section.

Federal Warning:

Section 313 Supplier Notification: This product contains the following toxic chemical(s) subject of the reporting requirements of SARA TTILE III, Section 313 Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372: N/A

Section 16 OTHER INFORMATION & LEGEND

IMPORTANT: The MSDS should be read before product disposal. Pass MSDS information to all persons who could be exposed to the product. The MSDS has been prepared according to OSHA Hazard Communication Standard (29 CFR 1910.1200). To the best of our knowledge, the information

©2013 NewLook International, Inc. • All Rights Reserved

www.getNewLook.com • 1525 South Gladiola Street, Suite 8, Salt Lake City, UT 84104 • 877.763.9566 • Office: 801.886.9495 • Fax:

contained herein is accurate and based on sources believed to be reliable. However, since data, safety standards, and government regulations are subject to change, NewLook International, Inc. makes no warranty, either expressed or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. The data on this sheet is related only to this specific material. It may not be valid for this material if used in combination with any other materials. It is the end user's responsibility to determine suitability and completeness of this information with regards to a particular use. Additional information may be necessary or helpful for specific conditions and circumstances of use. Unknown hazards may exist and this material should be used with caution. NewLook International, Inc. assumes no legal responsibility for use or reliance upon this data.

| ACGIH: | American Conference of Government Industrial Hygienists |
|--------|---|
| CAS: | Chemical Abstracts Service Registry |
| MISHA: | Mine Safety and Health Administration |
| NFPA: | National Fire Protection Association |
| NIOSH: | National Institute for Occupational Safety and Health |
| OSHA: | Occupational Safety and Health Administration |
| PEL: | Permissible Exposure Limit (OSHA) |
| STEL: | Short Term Exposure Limit (ACGIH) |
| TLV: | Threshold Limit Value (ACGIH) |
| IARC: | International Agency for Research on Cancer |
| HMIS: | Hazardous Material Identification System |